

| 発行年 | 著者、共著者 | 文献 | 雑誌名 | 略誌名 | 巻、号、ページ |
|-----------------------|---|---|---|----------------------------|------------------------|
| 2018年度（平成30年度） | | | | | |
| 2018/4 | Watanabe R, Sairaku A, Yoshida Y, Nanasato M, Kamiya H, Suzuki H, Ogura Y, Aoyama Y, Maeda M, Ando M, Eguchi S, Inden Y, Kihara Y, Murohara T | Head-to-head comparison of acute and chronic pulmonary vein stenosis for cryoballoon versus radiofrequency ablation | Pacing and Clinical Electrophysiology | Pacing Clin Electrophysiol | Apr;41(4):376-382 |
| 2018/4 | Itabashi Y, Utsunomiya H, Kubo S, Mizutani Y, Miura H, Murata M, Siegel RJ, Kar S, Fukuda K, Shiota T | Different indicators for postprocedural mitral stenosis caused by single- or multiple-clip implantation after percutaneous mitral valve repair | Journal of Cardiology | J Cardiol | Apr;(4):336-345 |
| 2018/4 | Sasaki N, Ozono R, Fujiwara S, Maeda R, Kihara Y | Impaired Glucose Metabolism Is Associated with Visit-to-Visit Blood Pressure Variability in Participants without Cardiovascular Disease | International Journal of Hypertension | Int J Hypertens | Apr;2018:5126270 |
| 2018/5 | Teragawa H, Fukuda Y, Kihara Y | First, to understand the present situation!: Transcutaneous aortic valve implantation as a real global treatment for severe aortic stenosis | European Journal of Preventive Cardiology | Eur J Prev Cardiol | May;(8):839-841 |
| 2018/5 | Amioka M, Sairaku A, Nakano Y, Tokuyama T, Matsumura H, Tomomori S, Hironobe N, Kihara Y | Diagnostic performance of the N-terminal pro-brain natriuretic peptide to detect an increased left atrial pressure in patients with persistent atrial fibrillation | Clinical Chemistry and Laboratory Medicine | Clin Chem Lab Med | May 24;56(6):e147-e149 |
| 2018/6 | Matsui S, Kajikawa M, Maruhashi T, Iwamoto Y, Uda N, Kishimoto S, Hashimoto H, Hidaka T, Kihara Y, Chayama K, Hida E, Goto C, Aibara Y, Nakashima A, Yusoff FM, Noma K, Kuwahara Y, Matsubara A, Higashi Y | Endothelial dysfunction, abnormal vascular structure and lower urinary tract symptoms in men and women | International Journal of Cardiology | Int J Cardiol | Jun;261:196-203 |
| 2018/6 | Kishimoto S, Matsumoto T, Maruhashi T, Iwamoto Y, Kajikawa M, Oda N, Matsui S, Hashimoto H, Hidaka T, Kihara Y, Chayama K, Goto C, Aibara Y, Yusoff FBM, Nakashima A, Noma K, Higashi Y | Reactive hyperemia-peripheral arterial tonometry is useful for assessment of not only endothelial function but also stenosis of the digital artery | International Journal of Cardiology | Int J Cardiol | Jun;260:178-183 |
| 2018/6 | Hirano H, Takama R, Matsumoto R, Tanaka H, Hirano H, Soh Z, Okawa T, Takayanagi T, Morimoto H, Nakamura R, Saeki N, Hashimoto H, Matsui S, Kishimoto S, Oda N, Kajikawa M, Maruhashi T, Kawamoto M, Yoshizumi M, Higashi Y, Tsuji T | Assessment of Lower-limb Vascular Endothelial Function Based on Enclosed Zone Flow-mediated Dilatation | Scientific Reports | Sci Rep | Jun;8(1):9263 |
| 2018/6 | Sairaku A, Nakano Y, Shioide N, Suenari K, Oda N, Ono K, Kihara Y | Head-to-head comparison of the heart rate variability between the bisoprolol transdermal patch and bisoprolol fumarate tablet | Cardiovascular Therapeutics | Cardiovasc Ther | Jun;36(3):e12325 |
| 2018/6 | Harima A, Sairaku A, Inoue I, Nishioka K, Oka T, Nakama Y, Dai K, Ohi K, Hashimoto H, Kihara Y | Real-life experience of a stent-less revascularization strategy using a combination of excimer laser and drug-coated balloon for patients with acute coronary syndrome | Journal of Interventional Cardiology | J Interv Cardiol | Jun;(3):284-292 |
| 2018/7 | Sumimoto Y, Kurisu S, Nitta K, Ikenaga H, Ishibashi K, Fukuda Y, Nakano Y, Kihara Y | Effect of fibrillatory wave amplitude on coronary blood flow as assessed by thrombolysis in myocardial infarction frame count in patients with atrial fibrillation | Heart and Vessels | Heart Vessels | Jul;33(7):786-792 |
| 2018/7 | Maruhashi T, Soga J, Fujimura N, Idei N, Mikami S, Iwamoto Y, Iwamoto A, Kajikawa M, Matsumoto T, Oda N, Kishimoto S, Matsui S, Hashimoto H, Aibara Y, Mohamad Yusoff F, Hidaka T, Kihara Y, Chayama K, Noma K, Nakashima A, Goto C, Tomiyama H, Takase B | Endothelial Dysfunction, Increased Arterial Stiffness, and Cardiovascular Risk Prediction in Patients With Coronary Artery Disease: FMD-J (Flow-Mediated Dilatation Japan) Study A | Journal of the American Heart Association | J Am Heart Assoc | Jul;7(14):pii:e008588 |
| 2018/7 | Nakano Y, Ochi H, Sairaku A, Onohara Y, Tokuyama T, Motoda C, Matsumura H, Tomomori S, Amioka M, Hironobe N, Okubo Y, Okamura S, Makita N, Yoshida Y, Chayama K, Kihara Y | HCN4 Gene Polymorphisms Are Associated With Occurrence of Tachycardia-Induced Cardiomyopathy in Patients With Atrial Fibrillation | Circulation: Genomic and Precision Medicine | Circ Genom Precis Med | Jul;11(7):e001980 |
| 2018/7 | Kurisu S, Nitta K, Sumimoto Y, Ikenaga H, Ishibashi K, Fukuda Y, Kihara Y | Implications of electrocardiographic frontal QRS axis on left ventricular diastolic parameters derived from electrocardiogram-gated myocardial perfusion single photon emission computed tomography | Annals of Nuclear Medicine | Ann Nucl Med | Jul;32(6):404-409 |
| 2018/7 | Kurisu S, Nitta K, Sumimoto Y, Ikenaga H, Ishibashi K, Fukuda Y, Kihara Y | Effects of atrial fibrillation on myocardial washout rate of thallium-201 on myocardial perfusion single-photon emission computed tomography | Nuclear Medicine Communications | Nucl Med Commun | Jul;39(7):597-600 |
| 2018/7 | Maruhashi T, Kihara Y, Higashi Y | Assessment of endothelium-independent vasodilation: from methodology to clinical perspectives | Journal of Hypertension | J Hypertens | Jul;36(7):1460-1467 |
| 2018/7 | Noma K, Kihara Y, Higashi Y | Limited Extent of Pleiotropic Effects Mediated by Dipeptidyl Peptidase-4 Inhibitors in Patients With Diabetes Mellitus | Circulation Journal | Circ J | Jul;82(8):1996-1998 |
| 2018/7 | Sasaki N, Yamamoto H, Ozono R, Fujiwara S, Kihara Y | Association of N-Terminal Pro B-Type Natriuretic Peptide With Blood Pressure and Pulse Pressure in Elderly People – A Cross-Sectional Population Study | Circulation Journal | Circ J | Jul;82(8):2049-2054 |
| 2018/8 | Senoo A, Kitagawa T, Torimaki S, Yamamoto H, Sentani K, Takahashi S, Kubo Y, Yasui W, Sueda T, Kihara Y | Association between histological features of epicardial adipose tissue and coronary plaque characteristics on computed tomography angiography | Heart and Vessels | Heart Vessels | Aug;33(8):827-836 |
| 2018/8 | Matsui S, Kajikawa M, Maruhashi T, Hashimoto H, Kihara Y, Chayama K, Goto C, Aibara Y, Yusoff FM, Kishimoto S, Nakashima A, Noma K, Kawaguchi T, Matsumoto T, Higashi Y | New assessment of endothelial function measured by short time flow-mediated vasodilation: Comparison with conventional flow-mediated vasodilation measurement | International Journal of Cardiology | Int J Cardiol | Aug;265:24-29 |
| 2018/8 | Maruhashi T, Kihara Y, Higashi Y | Vascular Digit Injury in a College Baseball Player | Circulation Journal | Circ J | Aug;82(9):2377 |

| 発行年 | 著者、共著者 | 文献 | 雑誌名 | 略誌名 | 巻、号、ページ |
|-----------|--|--|---|----------------------------|-----------------------|
| 2018/8 | Okubo Y, Sairaku A, Morishima N, Ogi H, Matsumoto T, Kinoshita H, Kihara Y | Increased urinary liver-type fatty acid-binding protein level predicts worsening renal function in patients with acute heart failure | Journal of Cardiac Failure | J Card Fail | Aug;24(8):520-524 |
| 2018/8 | Yamamoto H, Kitagawa T, Kunita E, Utsunomiya H, Senoo A, Nakamoto Y, Kihara Y | Impact of the Coronary Artery Calcium Score on Mid- to Long-Term Cardiovascular Mortality and Morbidity Measured With Coronary Computed Tomography Angiography | Circulation Journal | Circ J | Aug;82(9):2342-2349 |
| 2018/9 | Nakashima A, Kawamoto T, Noshiro M, Ueno T, Doi S, Honda K, Maruhashi T, Noma K, Honma S, Masaki T, Higashi Y, Kato Y | Dcl1 and CLOCK Regulate Na+/K+-ATPase β 1 Subunit Expression and Blood Pressure | Hypertension | Hypertension | Sep;72(3):746-754 |
| 2018/9 | Tomomori S, Nakano Y, Ochi H, Onohara Y, Sairaku A, Tokuyama T, Motoda C, Matsumura H, Amioka M, Hironobe N, Ookubo Y, Okamura S, Kawazoe H, Chayama K, Kihara Y | Maintenance of low inflammation level by the ZFHX3 SNP rs2106261 minor allele contributes to reduced atrial fibrillation recurrence after pulmonary vein isolation | PLoS One | PLoS One | Sep;13(9):e0203281 |
| 2018/9 | Utsunomiya H, Hidaka T, Susawa H, Izumi K, Harada Y, Kinoshita M, Itakura K, Masada K, Kihara Y | Exercise-Stress Echocardiography and Effort Intolerance in Asymptomatic/Minimally Symptomatic Patients With Degenerative Mitral Regurgitation Combined Invasive-Noninvasive Hemodynamic Monitoring | Circulation: Cardiovascular Imaging | Circ Cardiovasc Imaging | Sep;11(9):e007282 |
| 2018/9-10 | Yamamoto H, Kihara Y, Kitagawa T, Ohashi N, Kunita E, Iwanaga Y, Kobuke K, Miyazaki S, Kawasaki T, Fujimoto S, Daida H, Fujii T, Sato A, Okimoto T, Kuribayashi S: PREDICT Investigators | Coronary plaque characteristics in computed tomography and 2-year outcomes: The PREDICT study | Journal of Cardiovascular Computed Tomography | J Cardiovasc Comput Tomogr | Sep-Oct;12(5):436-443 |
| 2018/10 | Shi L, Fujio K, Sakurai-Ozato N, Fukumoto W, Satoh K, Sun J, Awazu A, Tanaka K, Ishida M, Ishida T, Nakano Y, Kihara Y, Hayes CN, Aikata H, Chayama K, Ito T, Arai K, Tashiro S | Chromosomal Abnormalities in Human Lymphocytes after Computed Tomography Scan Procedure | Radiation Research | Radiat Res | Oct;190(4):424-432 |
| 2018/10 | Noma K, Higashi Y | Cilostazol for treatment of cerebral infarction | Expert Opinion on Pharmacotherapy | Expert Opin Pharmacother | Oct;19(15):1719-1726 |
| 2018/10 | Tomomori S, Nakano Y, Ochi H, Onohara Y, Sairaku A, Tokuyama T, Motoda C, Matsumura H, Amioka M, Hironobe N, Okubo Y, Okamura S, Kawazoe H, Nishiyama Y, Tahara H, Chayama K, Kihara Y | Chromosome 4q25 Variant rs6817105 Bring Sinus Node Dysfunction and Left Atrial Enlargement | Scientific Reports | Sci Rep | Oct;8(1):14565 |
| 2018/10 | Kitagawa T, Yamamoto H, Nakamoto Y, Sasaki K, Toshimitsu S, Tatsugami F, Arai K, Hirokawa Y, Kihara Y | Predictive Value of 18F-Sodium Fluoride Positron Emission Tomography in Detecting High-Risk Coronary Artery Disease in Combination With Computed Tomography | Journal of the American Heart Association | J Am Heart Assoc | Oct;16:7(20):e010224 |
| 2018/10 | Kanawa M, Igarashi A, Fujimoto K, Higashi Y, Kurihara H, Sugiyama M, Saskianti T, Kato Y, Kawamoto T | Genetic Markers Can Predict Chondrogenic Differentiation Potential in Bone Marrow-Derived Mesenchymal Stromal Cells | Stem Cells International | Stem Cells Int | Oct 10;2018:9530932 |
| 2018/11 | Tanaka A, Yoshida H, Nanasato M, Oyama J, Ishizu T, Ajioka M, Ishiki R, Saito M, Shibata Y, Kaku K, Maemura K, Higashi Y, Inoue T, Murohara T, Node K | Sitagliptin on carotid intima-media thickness in type 2 diabetes patients receiving primary or secondary prevention of cardiovascular disease: A subgroup analysis of the PROLOGUE study | International Journal of Cardiology | Int J Cardiol | Nov;271:331-335 |
| 2018/11 | Shimizu M, Misumi M, Yamada M, Ohishi W, Yamamoto H, Kihara Y | Choice reaction time and grip strength as predictors of cardiovascular mortality in middle-aged and elderly Japanese: From the Radiation Effects Research Foundation Adult Health Study | Internal Medicine Journal | Intern Med J | Nov;48(11):1331-1336 |
| 2018/11 | Kishimoto S, Matsumoto T, Oki K, Maruhashi T, Kajikawa M, Matsui S, Hashimoto H, Kihara Y, Yusoff FM, Higashi Y | Microvascular endothelial function is impaired in patients with idiopathic hyperaldosteronism | Hypertension Research | Hypertens Res | Nov;41(11):932-938 |
| 2018/11 | Maruhashi T, Hisatome I, Kihara Y, Higashi Y | Hyperuricemia and endothelial function: From molecular background to clinical perspectives | | Atherosclerosis | Nov;278:226-231 |
| 2018/11 | Tanaka A, Tomiyama H, Maruhashi T, Matsuzawa Y, Miyoshi T, Kubota Y, Kario K, Sugiyama S, Munakata M, Ito H, Ueda S, Vlachopoulos C, Higashi Y, Inoue T, Node K | Physiological Diagnostic Criteria for Vascular Failure | | Hypertension | Nov;72(5):1060-1071 |
| 2018/12 | Tanaka A, Kawaguchi A, Tomiyama H, Ishizu T, Matsumoto C, Higashi Y, Takase B, Suzuki T, Ueda S, Yamazaki T, Furukawa T, Kario K, Inoue T, Kobayashi S, Takemoto Y, Hano T, Sata M, Ishibashi Y, Maemura K, Ohba Y, Furukawa T, Ito H, Yamashina A, Node K | Cross-sectional and longitudinal associations between serum uric acid and endothelial function in subjects with treated hypertension | International Journal of Cardiology | Int J Cardiol | Dec;272:308-313 |
| 2018/12 | Kurisu S, Nitta K, Sumimoto Y, Ikenaga H, Ishibashi K, Fukuda Y, Kihara Y | Frontal QRS-T angle and World Health Organization classification for body mass index | International Journal of Cardiology | Int J Cardiol | Dec;272:185-188 |
| 2018/12 | Yoshida K, Nakashima A, Doi S, Ueno T, Okubo T, Kawano KI, Kanawa M, Kato Y, Higashi Y, Masaki T | Serum-Free Medium Enhances the Immunosuppressive and Antifibrotic Abilities of Mesenchymal Stem Cells Utilized in Experimental Renal Fibrosis | STEM CELLS Translational Medicine | Stem Cells Transl Med | Dec;7(12):893-905 |
| 2018/12 | Takahashi I, Cologne J, Haruta D, Yamada M, Takahashi T, Misumi M, Fujiwara S, Matsumoto M, Kihara Y, Hida A, Ohishi W | Association Between Prevalence of Peripheral Artery Disease and Radiation Exposure in the Atomic Bomb Survivors | Journal of the American Heart Association | J Am Heart Assoc | Dec;7(23):e008921 |
| 2019/1 | Higashi Y | Does renal function have incremental predictive value of stroke in atrial fibrillation? | International Journal of Cardiology | Int J Cardiol | Jan;274:192-193 |
| 2019/1 | Nitta K, Kurisu S, Sumimoto Y, Ikenaga H, Ishibashi K, Fukuda Y, Kihara Y | Diagnostic value of peak filling rate derived from ECG-gated myocardial perfusion SPECT for detecting myocardial ischaemia in patients with non-obstructive coronary artery disease | Acta Cardiologica | Acta Cardiol | Jan 16:1-5 |

| 発行年 | 著者、共著者 | 文献 | 雑誌名 | 略誌名 | 巻、号、ページ |
|--------|---|---|-------------------------|------------------|--------------------|
| 2019/2 | Tanaka A, Kawaguchi A, Oyama JI, Ishizu T, Ito H, Fukui J, Kondo T, Kuroki S, Nanasato M, Higashi Y, Kaku K, Inoue T, Murohara T, Node K | Differential effect of concomitant antidiabetic agents on carotid atherosclerosis: a subgroup analysis of the PROLOGUE study | Heart and Vessels | Heart Vessels | Feb;34(2):375-384 |
| 2019/2 | Tanaka H, Mito A, Hirano H, Soh Z, Nakamura R, Saeki N, Kawamoto M, Higashi Y, Yoshizumi M, Tsuji T | Estimation of Arterial Viscosity Based on an Oscillometric Method and Its Application in Evaluating the Vascular Endothelial Function | Scientific Reports | Sci Rep | Feb;9(1):2609 |
| 2019/2 | Shoji K, Yanishi K, Yoshimi R, Hamada N, Kondo K, Fujimoto K, Nakajima H, Kuwahara K, Higashi Y, Fukumoto Y, Murohara T, Matoba S; TACT Follow up Study Investigators | Impact of Therapeutic Angiogenesis Using Autologous Bone Marrow-Derived Mononuclear Cells Implantation in Critical Limb Ischemia With Scleroderma – Subanalysis of the Long-Term Clinical Outcomes Survey | Circulation Journal | Circ J | Feb;83(3):662-671 |
| 2019/3 | Dai K, Suruga K, Nakano T, Takemoto H, Hashimoto Y, Tomomori S, Higaki T, Oi K, Kawase T, Nakama Y, Suenari K, Nishioka K, Otsuka M, Masaoka Y, Shioode N, Kihara Y | A lotus root-like appearance in a spontaneously recanalized lesion confirmed by serial coronary angiography: from optical coherence tomography study | Coronary Artery Disease | Coron Artery Dis | Mar;30(2):150-151 |
| 2019/3 | Amioka M, Nakano Y, Ochi H, Onohara Y, Sairaku A, Tokuyama T, Motoda C, Matsumura H, Tomomori S, Hironobe N, Okubo Y, Okamura S, Chayama K, Kihara Y | Ser96A1a genetic variant of the human histidine-rich calcium-binding protein is a genetic predictor of recurrence after catheter ablation in patients with paroxysmal atrial fibrillation | PLoS One | PLoS One | Mar;14(3):e0213208 |
| 2019/3 | Hidaka T, Masada K, Harada Y, Susawa H, Kinoshita M, Itakura K, Izumi K, Utsunomiya H, Higashi Y, Kihara Y | Early mitral inflow velocity to left ventricular global strain ratio predicts limited exercise capacity | Echocardiography | Echocardiography | Mar;36(3):503-511 |